

Technische informatie T-6319-17 Technische Informationen Technical information

Material Safety Data Sheet According to 91/155/EWG

Date of issue: 22.09.2000 Revised on: 03.11.2004

1. Identification of substance

Trade name: FHT2 - Anti Corrosion Grease (AC-FHT2-Longtime)

Application: Grease - Anti Corrosion

Supplier: Verpas B.V.

Dukaat 10, 5751PW, Deurne - The Netherlands

Tel. +31 493 322068 Fax + 31 493 23099

2. Composition/information on ingredients

Chemical characterisation

Description:

Calcium soap long-time grease based on mineral and synthetic oils

Hazardous ingredients:	Designation	R-sets	%weight
Zincdialcyldithiophosphate	N	51/53	< 2,5%

^{*}Additional information: The wording of the cited danger notes has to be gathered from the chapter 16.

3. Hazards identification

Hazards designation:

None - if handled according to its specifications.

Classification system:

The classification is in line with current EC-lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

4. First aid measures

General information: No special measures required. after INHALATION: No special measures required.

after SKIN CONTACT: Generally the product is not skin irritating.

after EYE CONTACT: Rinse opened eye for several minutes under running water.

after SWALLOWING: If irritation persists seek medical attention.

5. Fire fighting measures

Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents: Water

Particularly hazardous through the material, its combustion products or developed gases:

Carbon monoxide (CO), Sulphur dioxide (SO²),

<u>Special protective equipment:</u> Mount self-containing breathing apparatus.

Trade name: FHT2 - Anti Corrosion Grease (AC-FHT2-Longtime)

6. Accidental release measures

Person-related safety precautions: Not required.

Environmental protection measures: Do not allow to enter drainage system, surface or ground water

Measures for cleaning/collecting: Pick up mechanically.

7. Handling and storage

Handling

Information for safe handling: No special measures required.

<u>Information about protection against explosions and fires:</u> No special measures required.

Storage

Requirements to be met by storerooms and containers: Observe Water Legal Regulations.

Information about storage in one common storage facility: Not required.

<u>Further information about storage conditions:</u> Protect from frost and direct sunlight.

8. Exposure limit and personal protection equipment

Additional information about design of technical systems:

No further data; see item 7.

Components with critical values that require monitoring at the workplace:

Additional information:

The lists that were valid during the compilation were used as basis.

Personal protection

General protective and hygienic measures:

The usual precautionary measures should be adhered to in handling chemicals and mineral oil products.

Respiratory protection: Not required. Hand protection: Protective gloves. Glove material: Nitrile rubber

Penetration time of the glove material:

Nitrile: thickness 0,4 mm; breakthrough time: > 240 min.

The exact breakthrough time has to be requested from the manufacturer and has to be kept.

Eye protection: Safety glasses.

Body protection: Protective work clothing.

9. Physical and chemical properties

General information:

Appearance : pasty

Colour : accord. to product specifications

Odeur : characteristic

Change in condition:

DIN ISO 2176 Meltingpoint/range : > 145°C

: not determined Boiling point/range

: > 200°C Flashpoint

Technische informatie T-6319-17 Technische Informationen Technical information

FHT2 - Anti Corrosion Grease (AC-FHT2-Longtime) Trade name:

Self-ignition : the product is not self-igniting

Explosion hazard : the product is not explosive

Density at 20°C : 0,91 - 0,95 g/cm³ (house method)

Solubility in/Miscibility with water: insoluble

10. Stability and reactivity

<u>Thermal decomposition / conditions to be avoided</u>: No decomposition if used according to specifications.

Hazardous reaction: No hazardous reactions known. Dangerous products of decomposition: Sulphur dioxide.

11. Toxicological information

Acute toxicity

Primary irritant effect:

on the skin: no irritant effect on the eye: no irritating effect

Sensitisation: no sensitising effects known.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12. Ecological information

General notes:

Water hazardous class (WGK): 1 - slightly hazardous for water (self-classification according to VwVwS dated 17.05.1999).

Do not allow product to reach ground water or sewage system.

13. Disposal considerations

Product

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to enter drainage system.

Waste disposal no.: 12 01 12 used waxes and greases

Uncleaned packaging

Recommendation:

Dispose of according to local regulations.

14. Transport information

GGVE/GGVS: Does not belong to any class of danger RID/ADR: Does not belong to any class of danger IATA-DGR: Does not belong to any class of danger

Technische informatie | T-6319-17 Technische Informationen **Technical information**

FHT2 - Anti Corrosion Grease (AC-FHT2-Longtime) Trade name:

IMDG-Code: Does not belong to any class of danger

15. Regulations

Designation according to EU guidelines:

Observe the normal safety regulations when handling chemicals or mineral oil products.

The product is not subject to identification regulations under EC Directives/Ordinance on Hazardous Materials (GefStoffV)

National regulations

Water hazardous class (WGK): 1 slightly hazardous for water. (self-classification according to VwVwS dated 17.05.1999)

16. Other information

The information contained in this safety data sheet is based on our current information level. It does not give assurance for certain product properties and does not establish a contractual relationship. This information relates only to the specific material and may not be valid if the material is used in combination with any other material or in any process.

Relevant R-Sets:

51/53 Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment

The information in this sheet have been revised in November 2004.